

**SULIT**



**BAHAGIAN PEPERIKSAAN DAN PENILAIAN  
JABATAN PENDIDIKAN POLITEKNIK  
KEMENTERIAN PENDIDIKAN TINGGI**

**JABATAN MATEMATIK, SAINS & KOMPUTER**

**PEPERIKSAAN AKHIR  
SESI JUN 2016**

**DBM2013: ENGINEERING MATHEMATICS 2**

---

**TARIKH : 25 OKTOBER 2016  
MASA : 8.30 AM - 10.30 AM (2 JAM)**

---

Kertas ini mengandungi **LAPAN (8)** halaman bercetak.

Bahagian A: Struktur (1 soalan)

Bahagian B: Struktur (4 soalan)

Dokumen sokongan yang disertakan : Kertas Graf, Formula

---

**JANGAN BUKA KERTAS SOALANINI SEHINGGA DIARAHKAN**

(CLO yang tertera hanya sebagai rujukan)

**SULIT**

**SECTION A : 25 MARKS**  
**BAHAGIAN A : 25 MARKAH****INSTRUCTION:**

This section consists of ONE (1) compulsory structured question.

**ARAHAN:**

Bahagian ini mengandungi SATU (1) soalan berstruktur yang WAJIB dijawab.

**QUESTION 1****SOALAN 1**

- CLO1 (a) Simplify each of the following expressions.

C1 *Permudahkan setiap ungkapan berikut.*

i.  $5^{2n+1} \div 25^{n-1} \times 125^{n+1}$

[3 marks]  
[3 markah]

ii.  $2 + 4\log_3 x - \frac{1}{2}\log_3 y$

[3 marks]  
[3 markah]

- CLO1 (b) Calculate the value of  $x$  for the following equations.

C2 *Kirakan nilai x bagi persamaan berikut.*

i.  $8^{5x} = 4^{4x+14}$

[4 marks]  
[4 markah]

ii.  $\log_5(2x + 5) = 2$

[4 marks]  
[4 markah]

iii.  $\log x + \log(x - 1) = \log(3x + 12)$

[6 marks]  
[6 markah]

- CLO1 (c) Given  $\log_7 5 = 0.8271$  and  $\log_7 6 = 0.9208$ . Determine the value of  $\log_7 30 + \log_7 (1\frac{1}{5})$  without using the calculator.

Diberi  $\log_7 5 = 0.8271$  dan  $\log_7 6 = 0.9208$ . Tentukan nilai bagi  $\log_7 30 + \log_7 (1\frac{1}{5})$  tanpa menggunakan kalkulator.

[5 marks]  
[5 markah]

## SECTION B : 75 MARKS

## BAHAGIAN B : 75 MARKAH

## INSTRUCTION:

This section consists of FOUR (4) structured questions. Answer THREE(3) questions only.

## ARAHAN:

Bahagian ini mengandungi EMPAT (4) soalan berstruktur. Jawab TIGA(3) soalan sahaja.

## QUESTION 2

## SOALAN 2

- CLO2 (a) Differentiate the following with respect to x.

Bezakan yang berikut terhadap x.

i.  $y = 7 - \frac{2}{3x^5} + 5x^3$

[3 marks]  
[3 markah]

ii.  $y = (4x^3 + 3)^3 (3x - 2)$

[5 marks]  
[5 markah]

- CLO2 (b) Differentiate the following function by using a suitable method.

Bezakan fungsi-fungsi berikut menggunakan kaedah yang sesuai.

i.  $y = \sin\left(\frac{1}{2}x^4 - 3\right)^2$

[5 marks]  
[5 markah]

ii.  $y = (2x + 3)^6 (x - 5)^5$

[5 marks]  
[5 markah]

iii.  $y = \frac{\cos 2x}{\tan 2x}$

[7 marks]  
[7 markah]

**QUESTION 3****SOALAN 3**CLO2  
C2

- (a) Differentiate each of the following function with respect to
- $x$
- :

*Bezakan setiap fungsi yang berikut terhadap  $x$ :*

i.  $2x^3 + 6y - 5xy^2 = 3$

[4 marks]

[4 markah]

ii.  $y^2 - 7x = \cos 2y$

[4 marks]

[4 markah]

CLO2  
C3

- (b)

i. Find the  $\frac{dy}{dx}$  for parametric equation below in term of  $t$ .*Carikan  $\frac{dy}{dx}$  bagi persamaan parameter di bawah dalam sebutan  $t$ .*

$x = 3 \ln 2t, \quad y = 4t^2 - t$

[4 marks]

[4 markah]

ii. Given  $z = 3x^2y + e^{2x}$ . Determine the total differential of  $z$ .*Diberikan  $z = 3x^2y + e^{2x}$ . Tentukan pembezaan penuh bagi  $z$ .*

[6 marks]

[6 markah]

iii. The radius of a circle is decreasing at a rate of  $7\text{cm/s}$ . Find the rate of change of the area for circle at the instant when the radius is  $4\text{m}$ .*Jejari bagi sebuah bulatan berkurang pada kadar  $7\text{cm/s}$ . Cari kadar perubahan luas bagi bulatan apabila jejarianya  $4\text{m}$ .*

[7 marks]

[7 markah]

**QUESTION 4****SOALAN 4**CLO2  
C2

- (a) Solve the following integrals:

*Selesaikan pengamiran berikut:*

i.  $\int \left( \frac{2}{5}x^5 - \frac{3}{x^2} + 1 \right) dx$

[3 marks]

[3 markah]

ii.  $\int x^2 (4 - 3x^3) dx$

[3 marks]

[3 markah]

CLO2  
C3

- (b) Integrate each of the functions below:

*Kamirkan setiap fungsi berikut:*

i.  $\int \frac{3}{(4s+5)^3} ds$

[5 marks]

[5 markah]

ii.  $\int \frac{3e^{4x} - 5e^{-x}}{e^x} dx$

[4 marks]

[4 markah]

iii.  $\int 6 \sec^2 (8x^3 - 3) dx$

[4 marks]

[4 markah]

iv.  $\int_0^1 3m^2 (m^3 + 3)^4 dm$

[6 marks]

[6 markah]

CLO2  
C2**QUESTION 5****SOALAN 5**

- (a) Integrate the following functions.

*Kamirkan setiap fungsi berikut.*

i.  $\int \frac{dx}{\sqrt{49 - x^2}}$

[3 marks]

[3markah]

ii.  $\int \frac{3 dx}{25 + 16x^2}$

[5 marks]

[5markah]

CLO2  
C3

- (b) i. Integrate the following function by using partial fraction.

*Kamirkan fungsi berikut dengan menggunakan pecahan separa.*

$$\int \frac{3x+2}{x^2-x-2} dx$$

[9 marks]

[9 markah]

- ii. Find the volume of the solid formed when the shaded region is bounded by the curve
- $y = x^2 + 1$
- and the line
- $y = x + 7$
- is rotated through
- $360^\circ$
- on the x-axis.


*Dapatkan isipadu pepejal yang terbentuk apabila kawasan berlorek yang dilingkungi oleh lengkung  $y = x^2 + 1$  dan garis  $y = x + 7$  diputar  $360^\circ$  pada paksi-x*

Figure 5b(ii)/Rajah 5b(ii)

[8 marks]

[8 markah]

**SOALAN TAMAT**

### FORMULA SHEET FOR DBM2013

<b>EXPONENTS AND LOGARITHMS</b>			
<b>LAW OF EXPONENTS</b>		<b>LAW OF LOGARITHMS</b>	
1. $a^m \times a^n = a^{m+n}$	8. $\log_a a = 1$		
2. $\frac{a^m}{a^n} = a^{m-n}$	9. $\log_a 1 = 0$		
3. $(a^m)^n = a^{m \times n}$	10. $\log_a b = \frac{\log_c b}{\log_c a}$		
4. $a^0 = 1$	11. $\log_a MN = \log_a M + \log_a N$		
5. $a^{-n} = \frac{1}{a^n}, a \neq 0$	12. $\log_a \frac{M}{N} = \log_a M - \log_a N$		
6. $a^{\frac{m}{n}} = (\sqrt[n]{a})^m$	13. $\log_a N^P = P \log_a N$		
7. $(ab)^n = a^n b^n$	14. $N = a^x \Leftrightarrow \log_a N = x$		
<b>DIFFERENTIATION</b>			
1. $\frac{d}{dx}(k) = 0, k \text{ is constant}$	2. $\frac{d}{dx}(x^n) = nx^{n-1}$ [Power Rule]		
3. $\frac{d}{dx}(ax^n) = anx^{n-1}$	4. $\frac{d}{dx}(f(x) \pm g(x)) = f'(x) \pm g'(x)$		
5. $\frac{d}{dx}(uv) = u \frac{dv}{dx} + v \frac{du}{dx}$ [Product Rule]	6. $\frac{d}{dx}\left(\frac{u}{v}\right) = \frac{v \frac{du}{dx} - u \frac{dv}{dx}}{v^2}$ [Quotient Rule]		
7. $\frac{dy}{dx} = \frac{du}{dx} \times \frac{dy}{du}$ [Chain Rule]	8. $\frac{d}{dx}(e^x) = e^x$		
9. $\frac{d}{dx}(e^{ax+b}) = e^{ax+b} \times \frac{d}{dx}(ax+b)$	10. $\frac{d}{dx}(\ln x) = \frac{1}{x}$		
11. $\frac{d}{dx}[\ln(ax+b)] = \frac{1}{ax+b} \times \frac{d}{dx}(ax+b)$	12. $\frac{d}{dx}(\sin x) = \cos x$		
13. $\frac{d}{dx}(\cos x) = -\sin x$	14. $\frac{d}{dx}(\tan x) = \sec^2 x$		

<b>INTEGRATION</b>			
1. $\int ax^n dx = \frac{ax^{n+1}}{n+1} + c ; \{n \neq -1\}$	2. $\int (ax+b)^n dx = \frac{(ax+b)^{n+1}}{(a)(n+1)} + c ; \{n \neq -1\}$		
3. $\int k dx = kx + c, k \text{ is constant}$	4. $\int_a^b f(x) dx = F(b) - F(a)$		
5. $\int \frac{1}{x} dx = \ln x + c$	6. $\int \frac{1}{ax+b} dx = \frac{1}{a} \times \ln(ax+b) + c$		
7. $\int e^x dx = e^x + c$	8. $\int e^{ax+b} dx = \frac{1}{a} \times e^{ax+b} + c$		
9. $\int \sin x dx = -\cos x + c$	10. $\int \cos x dx = \sin x + c$		
11. $\int \sec^2 x dx = \tan x + c$			
12. $\int \sin(ax+b) dx = -\frac{1}{\frac{d}{dx}(ax+b)} \times \cos(ax+b) + c$			
13. $\int \cos(ax+b) dx = \frac{1}{\frac{d}{dx}(ax+b)} \times \sin(ax+b) + c$			

14.	$\int \sec^2(ax+b) dx = \frac{1}{\frac{d}{dx}(ax+b)} \times \tan(ax+b) + c$
15.	$\int \frac{1}{\sqrt{a^2 - u^2}} du = \sin^{-1} \frac{u}{a} + c$
16.	$\int \frac{-1}{\sqrt{a^2 - u^2}} du = \cos^{-1} \frac{u}{a} + c$
17.	$\int \frac{1}{a^2 + u^2} du = \frac{1}{a} \tan^{-1} \frac{u}{a} + c$
18.	$\int \frac{-1}{a^2 + u^2} du = \frac{1}{a} \cot^{-1} \frac{u}{a} + c$
19.	$\int \frac{1}{u\sqrt{u^2 - a^2}} du = \frac{1}{a} \sec^{-1} \frac{u}{a} + c$
20.	$\int \frac{-1}{u\sqrt{u^2 - a^2}} du = \frac{1}{a} \cosec^{-1} \frac{u}{a} + c$

#### Identity Trigonometry

1.	$\cos^2 \theta + \sin^2 \theta = 1$	2.	$1 + \tan^2 \theta = \sec^2 \theta$
3.	$1 + \cot^2 \theta = \cosec^2 \theta$	4.	$\sin 2\theta = 2 \sin \theta \cos \theta$
5.	$\cos 2\theta = 2 \cos^2 \theta - 1$ $= 1 - 2 \sin^2 \theta$ $= \cos^2 \theta - \sin^2 \theta$	6.	$\tan 2\theta = \frac{2 \tan \theta}{1 - \tan^2 \theta}$
7.	$\tan \theta = \frac{\sin \theta}{\cos \theta}$	8.	$\cot \theta = \frac{\cos \theta}{\sin \theta} = \frac{1}{\tan \theta}$
9.	$\sec \theta = \frac{1}{\cos \theta}$	10.	$\cosec \theta = \frac{1}{\sin \theta}$

#### AREA UNDER CURVE

1.	$A_x = \int_a^b y dx$	2.	$A_y = \int_a^b x dy$
----	-----------------------	----	-----------------------

#### VOLUME UNDER CURVE

1.	$V_x = \pi \int_a^b y^2 dx$	2.	$V_y = \pi \int_a^b x^2 dy$
----	-----------------------------	----	-----------------------------

#### INTEGRATION BY PARTS

$$\int u dv = uv - \int v du$$